

## Safety Data Sheet

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product Identifier

**Product Name:** PeCOD® Electrolyte

**Chemical Name:** Lithium Nitrate Solution

**Synonyms:**

Advanced Blue Range Electrolyte

Green Range Electrolyte

Yellow Range Electrolyte

Red Range Electrolyte

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against:

**Product Use:** For the dilution of water samples prior to analysis on the MANTECH PeCOD® Analyzer.

**No uses advised against**

#### 1.3. Details of the supplier of the safety data sheet

**Manufacturer Information:**

579453 Ontario Inc.

o/a MANTECH

5473 Highway 6 North

Guelph, ON, N1H 6J2

Phone: 519-763-4245

#### 1.4. Emergency telephone number

Monday – Friday 8:00AM to 4:30PM (EST): **+1-519-763-4245**

24-hour: **+1-519-835-5252**

### 2. Hazards Identification

#### 2.1. Hazard classification according to Regulation (EC) No 1272/2008

<u>Class</u>	<u>Category</u>
Eye irritation	2B
Acute Toxicity, dermal	4

Acute Toxicity, inhalation 4  
 Acute toxicity, oral 4

2.2. Label Elements

Symbol:  GHS07

Signal Word: Warning

Hazard Statements: May cause eye irritation H320  
 May be harmful in contact with skin H315  
 May be harmful if swallowed or inhaled H302+ H332

Precautionary Statements: Wash hands thoroughly after handling P264  
 Avoid breathing mists or vapours P261  
 Do not eat, drink or smoke when using this product P270

2.3. Other hazards

HMIS Ratings: Health: 1 Fire: 0 Physical Hazard: 0  
 Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate  
 3 = Serious 4 = Severe \* = Chronic

**3. Composition Information**

Component	CAS #	Percent
Lithium Nitrate	7790-69-4	<20%
Water and Natural Sugars	-	Balance

**4. First Aid Measures**

4.1. Description of first aid measures

**Eye:** Immediately flush eyes with water for at least 15 minutes while holding eyes open. If irritation persists seek medical attention.

**Skin:** Wash with water for 15 minutes. If irritation persists seek medical attention

**Ingestion:** Rinse mouth with water. If swallowed, DO NOT induce vomiting unless directed to do so by

a medical physician. Give a glass of water or milk. Never give anything by mouth to a patient who is unconscious or having convulsions.

**Inhalation:** Remove the patient from exposure.

4.2. Most important symptoms and effects, both acute and delayed

No further information available.

4.3. Indication of any immediate attention and special treatment needed

No further information available.

**5. Firefighting Measures**

5.1. Extinguishing Media

**General Fire Hazards:**

This product is an aqueous solution which will not burn. However, if evaporated to dryness this product is an oxidizer and can sustain combustion.

**Suitable extinguishing agents:** Dry chemical, foam, carbon dioxide, water fog.

5.2. Special hazards arising from the substance or mixture

**Hazardous Combustion Properties:**

Thermal decomposition products may include irritating vapors and toxic gases including oxides of lithium and nitrogen. If heated to evaporation, this product may evolve oxygen and increase fire hazard.

5.3. Advice for firefighters

**Fire Fighting Equipment/Instructions:**

Firefighters should wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to products of decomposition.

<b>NFPA Ratings:</b>	<b>Health: 1</b>	<b>Fire: 0</b>	<b>Physical Hazard: 0</b>
<b>Hazard Scale:</b>	0 = Minimal 3 = Serious	1 = Slight 4 = Severe	2 = Moderate

## 6. Accidental Release Measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### **Evacuation Procedures:**

Isolate area. Keep unnecessary people away.

### 6.2. Environmental Precautions

#### **Special Procedures:**

Follow all local, State, Federal, and Provincial regulations for disposal. Wash area down with excess water.

### 6.3. Methods and material for containment and cleaning up

#### **Containment Procedures:**

Stop the flow of material if this is without risk. Wear appropriate personal protective equipment during clean-up. Contain the discharged material and dike the spilled material where possible. Prevent entry into sewers, drains, underground or contained spaces, water intakes and waterways. Avoid contact with combustible material.

#### **Clean-Up Procedures:**

Absorb spill with inert material such as lime, polypads, or other suitable absorbent material. Shovel the absorbed material into appropriate container for disposal.

### 6.4. Reference to other sections

**See Section 7 for information on safe handling.**

**See Section 8 for information on personal protective equipment.**

## 7. Handling and Storage

### 7.1. Precautions for safe handling

#### **Handling Procedures:**

Avoid eye contact and repeated or prolonged skin contact. Use with adequate ventilation. Wear suitable protective equipment during handling. Wear protective gloves and eye/face protection. Avoid breathing fumes, mists or vapors. Avoid contact with skin, eyes and clothing. Keep container tightly closed when not in use. Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

**Storage Procedures:**

Store in cool, dry, well ventilated place and out of direct sunlight. Store away from incompatible materials described in Section 10. Keep containers closed when not in use – check regularly for leaks.

7.3. Specific end use

See **Section 1.2.** for specific end uses.

**8. Exposure Controls / Personal Protection**

8.1. Control parameters

**EU community exposure limit:** N/A

**National exposure limit:** N/A

8.2. Exposure Controls

**Exposure Guidelines:** Keep formation of airborne mists to a minimum

**Engineering Controls:** Natural ventilation should be adequate under normal conditions. Keep containers closed when not in use.

**Personal Protective Equipment (PPE)**

**Eyes/Face:** Wear safety glasses

**Skin:** Wear impervious (neoprene) gloves and cotton/polyester lab coat or overalls

**Respiratory:** Use in a ventilated area.

**General:** Wash hands after handling material and before eating or drinking. Eyewash station required.

**Other Protective Equipment:** An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.

**9. Physical and Chemical Properties**

<b>Appearance</b>	Clear, colourless	<b>Lower Flammable Limit (LFL)</b>	Not Applicable
<b>Physical State</b>	Liquid	<b>Upper Flammable Limit (UFL)</b>	Not Applicable
<b>Odour</b>	Odorless	<b>Solubility (H<sub>2</sub>O)</b>	Miscible with Water
<b>Odour Threshold</b>	Not Applicable	<b>Specific Gravity</b>	1.19 - 1.21 @ 15°C (59°F)

<b>pH</b>	3-6	<b>Auto Ignition Temperature</b>	Not Applicable
<b>Melting Point</b>	Not Available	<b>Decomposition Temperature</b>	475–650° C
<b>Boiling Point</b>	>100°C (220°F)	<b>Viscosity</b>	$8.90 \times 10^{-4}$ Pa. s
<b>Flash Point</b>	Not Applicable	<b>Partition Coefficient</b>	Not available
<b>Vapour Pressure</b>	Not Available	<b>Explosive Properties</b>	Not applicable
<b>Vapour Density</b>	Not Available	<b>Oxidizing Properties</b>	See <i>Section 5.1</i> .
<b>Evaporation Rate</b>	Similar to Water		

## 10. Stability and Reactivity

### 10.1. Reactivity

This is a strong oxidizing material. It may react under extreme heat with incompatible materials.

### 10.2. Chemical stability

**Chemical Stability:** This is a stable material.

**Conditions to Avoid:** Avoid contact with extreme heat and incompatible materials.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known.

### 10.4. Incompatible materials

Strong acids; Fuel; Combustible materials.

### 10.5. Hazardous decomposition products

Lithium oxide; Nitrogen oxides (NO<sub>x</sub>); Oxygen.

## 11. Toxicological Information

### 11.1. Information on toxicological effects

**Acute toxicity:** No LD50 or LC50 available for this product.

**Skin corrosion/irritation:** Can cause mild skin irritation.

**Serious eye damage/irritation:** Causes mild eye irritation.

**Respiratory or skin sensitization:** This product may be moderately irritating to contaminated tissues.

**Germ cell mutagenicity:** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity:** No carcinogenicity data available for this product.

**Reproductive toxicity:** No teratogenicity data available for this product. This product is not expected to cause reproductive or developmental effects.

**STOT-single exposure:** Not applicable.

**STOT-repeated exposure:** Not applicable.

**Aspiration hazard:** Not applicable.

## 12. Ecological Information

### 12.1. Toxicity

**No data available.**

### 12.2. Persistence and biodegradability

**No data available.**

### 12.3. Bioaccumulative potential

**No data available.**

### 12.4. Mobility in soil

**No data available.**

### 12.5. Results of PBT and vPvB assessment

**No data available.**

### 12.6. Other adverse effects

**No data available.**

### 13. Disposal Considerations

13.1. Waste treatment method

Dispose of waste according to Local, State, Federal and Provincial Environmental Regulations.

### 14. Transport Information

14.1. UN-Number

None allocated.

14.2. UN proper shipping name

None allocated.

14.3. Transport hazard class(es)

**DOT, IATA, IMDG:** This product is not regulated as a hazardous material for transportation

14.4. Packing group

None allocated.

14.5. Environmental hazards

This substance is not associated with any environmental hazards.

14.6. Special precautions for users

Warning: Acute toxicity. May cause eye irritation, or be harmful in contact with skin, if swallowed, or if inhaled.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

### 15. Regulatory Information

15.1. Safety, health, and environmental regulations/legislation specific for the substance or mixture



### US Federal Regulations

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65) and/or CERCLA (40 CFR 302.4).

<b>Lithium nitrate (7790-69-4) SARA 313:</b>	1.0 % de minimis concentration (reportable only when in aqueous solution, Chemical Category N511) (related to Nitrate Compounds, water dissociable)
--	---

### Canadian Regulations

Not listed on the Canadian DSL (Domestic Substances List) inventory.

**WHMIS Classification:** Class D2B: Material Causing Other Toxic Effects.

### EU Regulations

- i. Directive 2012/18/EU: Substance is not listed.
- ii. Named dangerous substances – ANNEX I: Substance is not listed.
- iii. LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV): Substance is not listed.
- iv. Regulation (EC) No 1907/2006 ANNEX XVII: No restrictions for this substance.

### Additional Regulatory Information

<u>Component</u>	<u>CAS #</u>	<u>TSCA</u>	<u>DSL</u>	<u>NDSL</u>	<u>EINECS</u>	<u>AUST</u>	<u>MITI</u>	<u>PHIL</u>	<u>KOREA</u>	<u>ELINCS</u>	<u>CHINA</u>
Water	7732-18-5	Yes	Yes	No	Yes	Yes	Yes	No	Yes	No	Yes
Lithium Nitrate	7790-69-4	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	Yes

#### 15.2. Chemical safety assessment

A chemical safety assessment had not been performed for this substance.

### **16. Other Information**

Workers should be trained to handle hazardous chemicals. It is recommended that they are familiar with the contents of this safety data sheet (SDS). This SDS is not a risk assessment; recipients are advised to make their own risk assessment as required by other Health and Safety legislations. This substance is compliant with REACH.

**Created:** June 20, 2012

**Revised:** October 3, 2019

**Reference:** Not Available

**DISCLAIMER**

The information contained in this SDS was compiled using the latest and most reliable information currently available to MANTECH. The information given, is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification, expressed or implied, regarding its correctness or accuracy nor will MANTECH. assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission from this SDS. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage, or expense whatsoever arising out of the product's improper use.